

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(measur\$6 same accurac\$3 same (fixed-point or (fix\$3 with point))) and (input with value) and operat\$3 and invok\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 12:14
S2	39	(measur\$6 with (fixed-point or (fix\$3 with point))) and (input with value) and operat\$3 and invok\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 11:28
S4	11	S2 and (invok\$3 with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 11:28
S5	0	S4 and ((perform\$3 with operat\$3) same (invok\$3 with object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 11:30
S6	0	S4 and (perform\$3 with operat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 11:29
S7	7	S4 and (perform\$3 with operat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 11:30
S8	4	S4 and ((perform\$3 with operat\$3) same (invok\$3 with object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/14 11:30
S9	1	"702"/\$.cls. and (measur\$6 with (fixed-point or (fix\$3 with point))) and (input with value) and operat\$3 and invok\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:22

S10	0	10/608244	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:23
S11	156	(data with processing) and (identif\$3 adj3 operation) and (invoke with object) and (perform\$3 with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:21
S12	13	S11 and (input adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 16:25
S13	4	S12 and (accur\$6 with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:29
S15	156	(data with processing) and (identif\$3 adj3 operation) and (invoke with object) and (perform\$3 with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:22
S16	107	S15 and (object with oriented with program\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:23
S17	0	S16 and (operation same addition same multiplication same shifting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:25
S18	0	(machine with perform) and (operation same addition same multiplication same shifting) and (object with oriented with program\$6) and (invok\$3 with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:27

S19	55	(machine with perform) and (object with oriented with program\$6) and (perform with invok\$3 with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:27
S20	0	S19 and ((input\$3 with value) same (identif\$4 with opeartion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:28
S21	0	S19 and ((input\$3 with value) same (identif\$4 with operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:29
S22	9	S19 and (input\$3 with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 12:24
S23	0	S22 and (accur\$6 with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:29
S24	1	(comput\$7 with error) same (fixed-point near2 computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 12:15
S25	3	(fixed-point near2 computer near2 arithmetic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 12:16
S26	56	(machine with perform) and (object with oriented with program\$6) and (perform with invok\$3 with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 12:24

S27	1	S26 and (input\$3 with value) and (identif\$4 with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:06
S28	361	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:01
S29	14	S28 and ((accuracy accuracies) with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:02
S30	3	S29 and (error with (input keyboard keypad inputing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 13:02
S31	361	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:14
S32	14	S31 and ((accuracy accuracies) with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:02
S33	56	(machine with perform) and (object with oriented with program\$6) and (perform with invoc\$3 with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:08
S34	1	S33 and (input\$3 with value) and (identif\$4 with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:20

S35	1	S34 and (creat\$3 with object) and (concurrent concurrency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:19
S36	13	S33 and (creat\$3 with object) and (concurrent concurrency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:19
S37	1	S36 and (input\$3 with value) and (identif\$4 with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:20
S38	361	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:26
S39	2	S38 and ((accuracy accuracies) adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:09
S40	156	S38 and (object with oriented with program\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:09
S41	0	S40 and ((accuracy accuracies) adj (information data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:10
S42	17	S40 and (accuracy accuracies)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:10

S43	294	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency) and memory and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:04
S44	3	S43 and ((accuracy accuracies) adj (data information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:41
S45	361	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:30
S46	156	S45 and (object with oriented with program\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:31
S47	3	S43 and ((accuracy accuracies) with (data information) with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:25
S48	0	10/411576 and accuracy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:58
S49	0	10/411576 and accuracies	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:25
S50	7	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency) and ((accuracy accuracies) with (data information) with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:26

S51	71	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency) and accuracy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:31
S52	17	S51 and ((object with oriented with program\$6) or OOP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:31
S53	6	((input keyboard keypad inputing) with (data information) with (computer microcomputer)) and ((creat creation creating) with object) and (concurrent concurrency) and memory and ((accuracy accuracies) with (data information) with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:48
S54	1	10/411576 and ((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:00
S55	2	"6804818".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:00
S56	6	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency) and memory and ((accuracy accuracies) with (data information) with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:40
S57	3	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency) and memory and ((accuracy accuracies) with (data information) with input) and (error with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:56
S58	64	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency) and ((addition multiplication shift\$3) with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:06

S59	0	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency) and (addition with operation) and (multiplication with operation) and (shift\$3 with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:01
S60	47	((object with oriented with program\$6) or OOP) and (addition with operation) and (multiplication with operation) and (shift\$3 with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:23
S61	7	S60 and ((creat creation creating) with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:04
S62	7	S61 and ((input keyboard keypad inputing) with (data information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:40
S63	156	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) with object) and (concurrent concurrency) and ((object with oriented with program\$6) or OOP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:23
S64	5	S63 and (input with parameter with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:24
S65	127	((input keyboard keypad inputing) with (data information) with computer) and ((creat creation creating) adj3 object) and (concurrent concurrency) and ((object with oriented with program\$6) or OOP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:23
S66	3	S65 and (input with parameter with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:25

S67	51	S65 and (input with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:26
S68	22	S67 and (parameter with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:26
S69	406	((input keyboard keypad inputing) with (data information) with computer) and (addition with operation) and (multiplication with operation) and (shift\$3 with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:22
S70	15	S69 and ((object with oriented with program\$6) or OOP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:23